

CP-**DNB-M701**

Indoor Unit

- 7" TFT Screen
- Standard SIP 2.0
- Intercom between Apartments
- Information Receiving
- Image Storage
- Support up to 8 IP Cameras
- Elevator & Smart Home
- Sub extension audio indoor monitor
- Compatible to IOS & Android Smart Home



System Overview

CP PLUS has introduced a wide range of Video Door-Phones (also known as video door entry or video intercom) which are stand-alone intercom systems that you can use to manage calls made at the entrance to a building (residential complex, detached family home, workplace, etc.) with access controlled by audio visual communication between the inside and outside.

Functions

Hands-free operation

The latest intelligent invention in the field of video door phones is that of the hands-free feature because of which you no longer have to keep the button pushed to talk to a visitor on the phone.

THINK SECURITY
THINK CP PLUS



CP-DNB-M701

Indoor Unit

Functions

7" TFT Touch Screen

To provide you with a better and complete view of the entrance to your home while talking to the visitor, this product involves a wide 7 inch TFT Touch Screen. TFT makes a monitor screen brighter and faster than the LCD.

High-Resolution Indoor Unit for Clearer Identification

The product has been integrated with a high-resolution lens that produces clear and vivid details to you for better and accurate identification of the visitors.

About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



**Product casing and specifications are subject to change without prior notice*



CP-DNB-M701

Indoor Unit

Feature	Specification
Display	7" TFT LCD
Display Resolution	800 x 480
Operating System	Linux
Button	Touch
Camera	No
Audio Codec	G.711
Video Codec	H.264
Home Automation	Yes (RS485)
Alarm	Yes (8 Zones)
Protocol	SIP, TCP/IP
IP Camera	Yes (8 Cameras)
Firmware Upgrade	Remote Upgrade
Power Source	DC12V (PoE Optional)
Power Consumption	5W
Standby power	1.5W
Dimension	205mm x129mm x15mm